Human Computation for Entity-Centric Information Access

Gianluca Demartini gianlucademartini.net

Gianluca Demartini

- B.Sc., M.Sc. at U. of Udine, Italy
- Ph.D. at U. of Hannover, Germany
 - Entity Retrieval



- Worked at the eXascale Infolab U. Fribourg (Switzerland),
 UC Berkeley (on Crowdsourcing), Yahoo! (Spain), L3S Research
 Center (Germany)
- Senior Lecturer in Data Science at the iSchool, U. of Sheffield
- Tutorials on Entity Search at ECIR 2012 and RuSSIR 2015, on Crowdsourcing at ESWC 2013, ISWC 2013, ICWSM 2016, WebSci 2016

www.gianlucademartini.net

Research Interests

- Entity-centric Information Access (2005-now)
 - Structured/Unstruct data (SIGIR 12), TRank (ISWC 13, WSemJ 16)
 - NER in Scientific Docs (WWW 14), Prepositions (CIKM 14)
 - IR Evaluation (ECIR 16 Best Paper Award, IRJ 2015)
- Hybrid Human-Machine Systems (2012-now)
 - ZenCrowd (WWW 12, VLDBJ), CrowdQ (CIDR 13)
 - Human Memory based Systems (WWW 14, PVLDB)
 - Hybrid systems overview (COMNET, 2015)
- Better Crowdsourcing Platforms (2013-now)
 - Platform Dynamics (WWW 15)
 - Pick-a-Crowd (WWW 13), Malicious Workers (CHI 15)
 - Scale-up Crowdsourcing (HCOMP 14), Scheduling (WWW 16)

Entity-Centric Information Access

tom cruise





Gianluca



All

News Images

Videos

Shopping

More ▼

Search tools





About 78,300,000 results (0.47 seconds)

Official Tom Cruise: Edge Of Tomorrow, Movies, Bio, News ...

www.tomcruise.com/ ▼

OFFICIAL **TOM CRUISE** SITE: View the latest EDGE OF TOMORROW trailer! Watch career movie trailers, videos, and retrospective. Read the **Tom Cruise** ...

Tom Cruise - IMDb

www.imdb.com/name/nm0000129/ -

Tom Cruise, Actor: Top Gun. If you had told fourteen-year-old Franciscan seminary student Thomas Cruise Mapother IV that one day in the not-too-distant future ...

Tom Cruise - Wikipedia, the free encyclopedia

https://en.wikipedia.org/wiki/Tom Cruise ▼

Tom Cruise is an American actor and filmmaker. Cruise has been nominated for three Academy Awards and has won three Golden Globe Awards. He started his ...


Tom Cruise filmography - Mimi Rogers - Katie Holmes - Nicole Kidman

In the news



Scientologist who worked with Tom Cruise condemned to horrific work camp over lesbian kiss

PinkNews - 2 days ago
A former Scientologist, who worked with celebrities like **Tom**Cruise and John Travolta, has ...



Tom Cruise

Actor



tomcruise.com

Tom Cruise is an American actor and filmmaker. Cruise has been nominated for three Academy Awards and has won three Golden Globe Awards. He started his career at age 19 in the 1981 film Endless Love. Wikipedia

Born: July 3, 1962 (age 53), Syracuse, New York, United States

Height: 1.7 m

Spouse: Katie Holmes (m. 2006–2012), Nicole Kidman (m. 1990–2001),

Mimi Rogers (m. 1987–1990)

Jarry Bruckheimer confirms Tom Cruise is signed up for Ton Gun 2

Entity-seeking queries make up 40-50% of the query volume

- Jeffrey Pound, Peter Mika, Hugo Zaragoza:
 Ad-hoc object retrieval in the web of data.
 WWW 2010: 771-780
- Thomas Lin, Patrick Pantel, Michael Gamon,
 Anitha Kannan, Ariel Fuxman: Active objects:
 actions for entity-centric search. WWW
 2012: 589-598
- Show a summary of the most likely information-needs
 - Including related entities for navigation
 - Roi Blanco, Berkant Barla
 Cambazoglu, Peter Mika, Nicolas
 Torzec: Entity Recommendations in
 Web Search, ISWC 2013



Matthew Paige "Matt" Damon is an American actor, voice actor, screenwriter, producer, and philanthropist whose career was launched following the success of the drama film Good Will Hunting (1997) from a screenplay... wikipedia.org

Born: October 8, 1970 (age 43), Cambridge, Massachusetts, USA

Height: 5' 10" (1.78m)

Spouse: Luciana Barroso (m. 2005-present)

Partner: Winona Ryder (1998-2000)

Parents: Kent Damon, Nancy Carlsson-Paige

Children: Isabella Damon, Alexia Barroso, Gia Zavala Damon, Stella Damon

Movies & TV Shows











The Zero

Elysium

The Departed

We Bought a Zoo

Good Will Hunting


Feedback











Web of Data

- Freebase
 - Acquired by Google in July 2010.
 - Knowledge Graph launched in May 2012.
 - Read-only in December 2014 -> WikiData
- Schema.org
 - Driven by major search engine companies
 - Machine-readable annotations of Web pages
- Linked Open Data
 - 31 billion triples, Sept 2011
 - 90 billion triples, Aug 2015 (stats.lod2.eu)

Today I will talk about

- Human Computation
 - Amazon MTurk as a crowdsourcing platform
 - Hybrid Human-Machine Information Systems
- Entity Linking on the Web
 - With the crowd
- Efficiency/effectiveness of Human Computation



Crowdsourcing

- Leverage human intelligence at scale to solve
 - Tasks simple for humans, complex for machines
 - With a large number of humans (the Crowd)
 - Small problems: micro-tasks (Amazon MTurk)
- Examples
 - Wikipedia, Image tagging
- Incentives
 - Financial, fun, visibility
- See my tutorials at ESWC 2013, ISWC 2013, ICWSM 2016, WebSci 2016 and upcoming FnTWeb paper.




5-year Analysis of MTurk workload

Mturk-tracker.com

- Collects metadata about each visible batch (Title, description, rewards, required qualifications, HITs available, etc), that is, set of similar tasks or HITs
- Records batch progress (every ~20 minutes)
- Covers 130M tasks
- -2009-2014


Djellel Eddine Difallah, Michele Catasta, Gianluca Demartini, Panagiotis G. Ipeirotis, and Philippe Cudré-Mauroux. **The Dynamics of Micro-Task Crowdsourcing -- The Case of Amazon MTurk**. In: 24th International Conference on World Wide Web (**WWW 2015**), Research Track.

Country-Specific HITs




Workers from US, India and Canada are the most sought after.

Distribution of Batch Size




Evolution of Batch Sizes




Very large batches start to appear

HIT Pricing



5-cents is the new 1-cent

Requesters and Reward Evolution




Increasing number of New and Distinct Requesters

Top MTurk Requesters over 1 month

Top-1000 Requesters, report for April 16, 2016 to May 16, 2016

Requester name	\$ hits	h.	reward
Speechpad	23857		\$172,994.63
Percy Liang	883		\$7,320.48
Princeton Vision	51187		\$5,762.44
Stanford GSB Behavioral Lab	3749		\$2,110.70
Chris Callison-Burch	8157		\$2,064.29
RC.org Mechanical Turk	6591		\$2,011.33
VacationrentalAPI	399		\$1,373.50
Med Expertise	869		\$1,303.50
Bluejay Labs	13613		\$1,288.59
YL Testing YL Testing	1051		\$1,236.83

Supply Elasticity



Intercept = 2.5Slope = 0.5%

20% of new work gets completed within an hour

Summary

- HIT reward has increased over time
- Audio transcription is the most popular task
- Demand for Indian workers has decreased
- Surveys are most popular for US workers
- 1000 new requesters per month join
- 10K new HITs arrive and 7.5K HITs get completed every hour
- Check #mturkdynamics for the main findings

Crowdsourcing for Entity Linking

Facebook Buys Instagram for \$1 Billion

BY EVELYN M. RUSLI

2:02 p.m. | Updated

Facebook is not waiting for its initial public offering to make its first big purchase.

In its largest acquisition to date, the social network has purchased Instagram the popular photo-sharing application, for about \$1 billion in cash and stock, the company said Monday.

HTML:

Facebook is not waiting for its initial public offering to make its first big purchase.In its largest acquisition to date, the social network has purchased Instagram, the popular photo-sharing application, for about \$1 billion in cash and stock, the company said Monday.



<span

about="http://dbpedia.org/resource/Facebook"><cit e property="rdfs:label">Facebook</cite> is not waiting for its initial public offering to make its first big purchase.In its largest acquisition to date, the social network has purchased <cite

property="rdfs:label">Instagram</cite>, the popular photo-sharing application, for about \$1 billion in cash and stock, the company said Monday.



http://dbpedia.org/resource/Facebook

http://dbpedia.org/resource/Instagram

owl:sameAs

fbase:Instagram


Instagram for Android is now available

At long last, Instagram finally releases the Android version of its app.




Instagram has been around since 2010, available only to iOS devices. Android users have been waiting patiently, with repeated promises of an Android version arriving soon.






ZenCrowd

- Combine both algorithmic and manual linking
- Automate manual linking via crowdsourcing
- Dynamically assess human workers with a probabilistic reasoning framework



ZenCrowd Architecture




Gianluca Demartini, Djellel Eddine Difallah, and Philippe Cudré-Mauroux. ZenCrowd: Leveraging Probabilistic Reasoning and Crowdsourcing Techniques for Large-Scale Entity Linking. In: 21st International Conference on World Wide Web (**WWW 2012**).

21

Entity Factor Graphs


- Graph components
 - Workers, links, clicks
 - Prior probabilities
 - Link Factors
 - Constraints
- Probabilistic
 Inference
 - Select all links with posterior prob >τ



2 workers, 6 clicks, 3 candidate links

Experimental Evaluation

Worker Selection



ZenCrowd Summary

- ZenCrowd: Probabilistic reasoning over automatic and crowdsourcing methods for entity linking
- Standard crowdsourcing improves 6% over automatic
- 4% 35% improvement over standard crowdsourcing
- 14% average improvement over automatic approaches
- Follow up-work (VLDBJ, 2013):
 - Also used for instance matching across datasets
 - 3-way blocking with the crowd

Lessons Learnt

- Crowdsourcing + Prob reasoning works!
- But
 - Different worker communities perform differently
 - Many low quality workers
 - Completion time may vary (based on reward)
- Need to find the right workers for your task (see WWW2013 and CHI2015 papers)
- Need to make sure high priority tasks are completed fast (see WWW2016 paper)



Djellel Eddine Difallah, Gianluca Demartini, and Philippe Cudré-Mauroux. Pick-A-Crowd: Tell Me What You Like, and I'll Tell You What to Do. In: **WWW2013**

Behavioral Patterns of Malicious Workers

Ineligible Workers (IW) Instruction: Please attempt this microtask ONLY IF you have successfully completed 5 microtasks previously.

Response: 'this is my first task'

Fast Deceivers (FD)

eg: Copy-pasting same text in response to multiple questions, entering gibberish, etc.

Response: 'What's your task?', 'adasd', 'fgfgf gsd ljlkj'

Rule Breakers (RB)

<u>Instruction</u>: Identify 5 keywords that represent this task (separated by commas).

Response: 'survey, tasks, history', 'previous task yellow'

Smart Deceivers (SD)


<u>Instruction</u>: Identify 5 keywords that represent this task (separated by commas).

Response: 'one, two, three, four, five'


Gold Standard Preys (GSP) These workers abide by the instructions and provide valid responses, but stumble at the gold-standard questions!

Ujwal Gadiraju, Ricardo Kawase, Stefan Dietze, and Gianluca Demartini. **Understanding Malicious Behaviour in Crowdsourcing Platforms**: The Case of Online Surveys. In: Proceedings of the ACM Special Interest Group on Computer Human Interaction (**CHI 2015**).

Scheduling HITs




Platform throughput is dominated by large HIT batches



HIT-Bundle

Definition

- Scheduling requires control over the serving process of tasks
- A HIT-Bundle is a batch that contains heterogeneous tasks
- All tasks that are generated by the system are published through the HIT-Bundle




Scheduling HITs

- Fair Scheduling
 - Priority of HITs but avoid starvation
 - Assign HITs of the same type (no context switch)

Individual Batches

WCFS



Djellel Eddine Difallah, Gianluca Demartini, and Philippe Cudré-Mauroux. Scheduling Human Intelligence Tasks in Multi-Tenant Crowd-Powered Systems. In: 25th International Conference on World Wide Web (**WWW 2016**), Research Track.

Summary

- Hybrid human-machine systems can
 - Scale over large amounts of data
 - Reach high accuracy by keeping humans in the loop
- Entities are the new entry point to Web content
 - "Things not string"
 - Google Knowledge Vault (but also Bing, Yahoo!, Yandex)
- Users can benefit from entity-centric search, browsing, and exploration of the Web